

ABOUT US

What We Deal With

Dough Mixer, Ovens, Coffee Dosing Grinders, Coffee Grinders, Grinding Blade, Heavy Duty Grinders, Espresso Machines for Bar, House Hold Machines, Cake Display, Gelato Display, Ice Cream Cabinet, Pastry Cabinets, Pastry Display, Pizza Counter, Blenders Chimney, Chocolate Milk Heater, Commercial Refrigerators, Convention Oven, Proofers, Cooking Ranges, Cupwashers, Dishwashers, Frucosol Automatic Orange, Juicers, Grill, Toaster, Oven, Mixers, Hot Water Machines, Ice Crushers, Juice Dispensers, Juicers, Mixers, Omega, Juice Extractor, Slush, Staff Ice, Water cooling Machines, Compact Ice Cube Maker, Flake Ice Maker, Gelato Ice Cream - Hotels, Gelato Ice Cream -House hold, Hole Ice, Cube Maker, Ice Bin, Softy Ice Cream Machines Vacuum Packing Machines Blast Chiller, Freezer Commercial Refrigerator



Rio INTERNATIONAL

Head Office: P.O.Box 12900, Al Garhoud Center, Dubai, United Arab Emirates (UAE).

Web : www.riodubai.com / Email: Sales3@riodubai.com

Mobile: +971503082641



Head Office: P.O.Box 12900, Al Garhoud Center, Dubai United Arab Emirates (UAE).

Web : www.riodubai.com/ Email: Sales3@riodubai.com

Mobile: +971 50 308 2641



ANFIM S.R.L. began manufacturing premium quality espresso grinders for professional and private use at their factory in the heart of Milan over 50 years ago.

Today, the slogan, "ANFIM - in the heart of a good coffee" is known in more than 50 countries around the world. The grinders combine superior quality, sturdiness and easy handling to form a perfect symbiosis of state-of-the-art technology and classic Italian style.



SCODY II

- Grinding disc diameter: 75 Ø mm
- Net weight: 14,1 kg
- Grinding disc material: Hardened steel
- Watt: 450 W
- Voltage / Frequency / Phase*: 220-240/50/1
- RPM: 800 rpm
- Grinding time for single Espresso: 3,2 sec
- Hopper capacity: 2,0 kg
- Dimensions (w x h x d): 195 x 575 x 370 mm



SP II

- Grinding disc diameter: 75 SP Ø mm
- Net weight: 20,0 kg
- Grinding disc material: Titanium coated discs
- Watt: 720 W
- Voltage / Frequency / Phase*: 220-240/50/1
- RPM: 650 rpm
- Grinding time for single Espresso: 2,2 sec
- Hopper capacity: 2,0 kg
- Dimensions (w x h x d): 220 x 620 x 370 mm



PRATICA

- Grinding disc diameter: 65 Ø mm
- Net weight: 11,2 kg
- Grinding disc material: Hardened steel
- Hopper capacity: 1,2 kg
- Voltage / Frequency / Phase*: 220-240/50-60/1
- RPM: 1400 rpm (50 Hz)
- Max. nominal power: 220 - 240 V drive: 440 W
- Grinding capacity: Adjustable 4-7 g/sec



La Spaziale was founded in 1969 by people with an experience in the branch of espresso coffee machines going back to 1947, thus creating a product based on quality and innovation.



S5 EK 1 GROUP

- Dimensions LxPxH: 450 x 530 x 520 mm
- Weight (kg): 41
- Boiler capacity (liters): 5
- Power supply: 110/220/240 V
- Power absorption: 50/60-60 Hz; 2300 - 3000 W
- Electronic coffee machine with automatic dose setting
- Electronic boiler refill
- Electric heating system
- Double pressure gauge for boiler and pump pressure control



S50 SELECTION

- Dimensions LxPxH: 836 x 601 x 619 mm
- Weight (kg): 86
- Boiler capacity (liters): 10
- Power supply: 230/400 V
- Power absorption: 50/60 Hz; 4600 W
- Capacitive graphic displays: main display TFT 7" and group displays 4.3
- Steam delivery lever with 3 functions: On/Off/Purge
- 2/4/6 programmable buttons for coffee delivery
- "Cool touch" steam wands



S9 EK TA DSP 3 GROUP

- Dimensions LxPxH: 1000 x 530 x 600 mm
- Weight (kg): 80
- Boiler capacity (liters): 15
- Power supply: 220/240/400 V
- Power absorption: 50/60 Hz; 4300 W
- Electronic coffee machine with automatic dose setting
- Electric heating system
- Electronic boiler refill
- Double pressure gauge for boiler pressure control
- 1 hot water outlet / 2 steam wands



Ditting designs its grinding solutions for caterers, industrial applications and the vending sector with Swiss

precision down to the last detail. As the global leader on the field of customized built-in grinders for sophisticated fully automatic coffee machines, Ditting continues to grow by being always one technological step ahead of the competition.

1403 INDUSTRIAL



- Voltage // frequencies // phases: 380-415 V // 50/60 Hz // 3~
- 200-240 V // 50/60 Hz // 3~
- Revolutions per minute: 1400 rpm (50 Hz)
- Burr diameter: 140 mm
- Burr material: Steel
- Average grinding capacity*: 2200 g/min
- Bean hopper capacity: approx. 10 kg
- Nominal power: 1700-2000 W
- Dimensions (w x h x d): 260x640x340 mm
- Dim. of packing (w x h x d): 330x730x400 mm
- Net weight: 38 kg
- Shipping weight: 45 kg
- Standard color: Black
- Available versions: KFA, KF

KR 807



- Voltage // frequencies // phases: 220-240 V // 50/60 Hz // 1~; 110-127 V // 60 Hz // 1~
- 100 V // 50/60 Hz // 1~
- Revolutions per minute: 1400 rpm (50 Hz)
- 1700 rpm (60 Hz)

- Burr diameter: 80 mm
- Burr material: Special steel
- Grinding capacity* (medium): 7.5 g/s
- Bean hopper capacity: approx. 500 g
- Nominal power: 500 W
- Dimensions (w x h x d): 216x536x300 mm
- Dim.of packing (w x h x d): 292x685x377 mm
- Net weight: 17.4 kg
- Shipping weight: 18.8 kg

807 LAB SWEET



- Voltage // frequencies // phases: 220-240 V // 50/60 Hz // 1~; 110-127 V // 60 Hz // 1~
- 100 V // 50/60 Hz // 1~
- Revolutions per minute: 1400 rpm (50 Hz)
- 1700 rpm (60 Hz)

- Burr diameter: 80 mm
- Burr material: Premium cast steel
- Grinding capacity* (medium): 9 g/s
- Bean hopper capacity: approx. 500 g
- Nominal power: 700 W
- Dimensions (w x h x d): 216x536x300 mm
- Dim.of packing (w x h x d): 292x685x377 mm
- Net weight: 17.4 kg
- Shipping weight: 18.8 kg



The company was set up in 1991 as manufacturer of citrus juicers. Frucosol is a leader brand like supplier of solutions for Horeca business; this is the result of the development of the company and the trust from customers, dealers and professional people since our first steps.



F COMPACT JUICER

- Fruits per minute: 10-12 fruits/min
- Feeder capacity: 3 fruits
- Fruit diameter: Up to 70 mm
- Consumption: 125 w
- Voltage: 230-110 v / 50 Hz
- Security: Switching off automatic sensors
- Net weight: 27 kg
- Dimension (L x D x H): 29 x 36 x 72.5 cm



F 50 A JUICER

- Fruits per minute: 20-25 fruits/min
- Feeder capacity: 12 Kg of fruits
- Fruit diameter: Up to 80 mm
- Consumption: 460 w
- Voltage: 230-110 v / 50-60 Hz
- Security: Switching off automatic sensors
- Net weight: 56 kg
- Dimension (L x D x H): 47 x 62 x 78.5 cm



ELMECO Ltd., was founded in 1961 by the inspired vision of Salvatore Cortese, founder and creator of the first Granita-maker machine in the World. The company offers advanced solutions for Soft Drinks, Cold Cream, Cocktails Base products and much more, finding an excellent feedback also in the Horeca sector.

BIG BIZ 1



- Dimension (WxDxH): 250 x 476 x 555 mm
- Weight: 25 kg
- Capacity: 5.5 lt
- Power: 320 w
- Fridge and slush function
- Electronic density control
- Room temp.: 30-35°C
- Power supply: 100/50-60 – 115/60 230/50-60 V/Hz

BIG BIZ 2



- Dimension (WxDxH): 440 x 476 x 555 mm
- Weight: 34 kg
- Capacity: 11 lt
- Power: 540 w
- Fridge and slush function
- Electronic density control
- Room temp.: 30°C
- Power supply: 230/50 – 230/60 V/Hz

FIRST CLASS 2



- Dimension (WxDxH): 430 x 560 x 780 mm
- Weight: 52 kg
- Capacity: 24 lt
- Power: 900 w
- Slush prod. time: 2.15 hrs.
- Fridge and slush function
- Electronic density control
- Room temp.: 30-35°C
- Power supply: 115/60 – 230/50-60 V/Hz



Hamilton Beach Commercial® high-performance blenders are famous for creating a super-creamy drink profile. They're so talented that many restaurants and bars prefer them over other types of blenders.

THE SUMMIT® BLENDER HBH 850 SERIES



- Quiet Shield™ sound enclosure, and 3-wire grounded cord and plug
- Controls: Touchpad
- 120V Specifications: 120V~, 60Hz, 13 A
- 230V Specifications: 220V-240V~, 50-60Hz, 880W
- Motor: 3 Hp
- Weight: 23.32 lbs / 10.57 kg (shipping)
- Dimension (D x W x H): 30.5 x 22.9 x 48.3 cm

THE ECLIPSE™ BLENDER - 64 OZ / 2 L HBH 755 SERIES



- Standard: Unit comes with base, one 64 oz./ 2 L container, Quiet Shield™ sound enclosure.
- Controls: touchpad
- 120V Specifications: 120V~, 60 Hz, 8.6 Amps
- 230V Specifications: 220V-240V~, 50-60 Hz, 1000W
- Motor: 3 peak Hp*
- Weight: 13.8 lbs / 6.3 kg (shipping)
- Dimension (D x W x H): 28.6 x 21.6 x 47 cm

THE RIO® DRINK BLENDER(230V) HBB 255-CE SERIES



- Unit comes with base, one lid, one BPA-free co-polyester jar, Sure Grip™ feet, and blade assembly.
- Controls: sealed paddle switches
- 230V Specifications: 220-240V~, 50-60Hz, 3.2 A
- Motor: 1.6 peak Hp input power
- Cord Length 5 Ft / 152 cm
- Weight: 9.5 lbs/4.3 kg (shipping)
- Dimension (D x W x H): 21.6 x 19 x 41 cm

THE TEMPEST® BLENDER HBH 650 SERIES



- Standard: unit comes with base, 64 oz. / 1.8 L container, lid, and blade assembly
- Controls: 2 speeds, jump cycle & timer
- 120V Specifications: 120V~, 60Hz, 13 A
- 230V Specifications: 220V-240V~, 50-60Hz, 880W
- Motor: 3 Hp
- Weight: 13.8 lbs / 6.3 kg (shipping)
- Dimension (D x W x H): 20.3 x 17.8 x 45.7 cm



Robot-Coupe has designed, developed and manufactured food preparation equipment in France since 1961, for food service professionals and the catering trade the world over.

CUTTERS AND VEGETABLE SLICERS - R 301



- Power/Voltage: 1.5 HP /Single phase
- Speed: 1725 rpm - pulse function
- Cutter bowl: Gray
- Dimensions (WxDxH): 13 1/16" x 11 15/16" x 21 1/2"
- Approx. carton size: 22" x 16" x 17" - Cube: 3.46
- Approx. shipping weight: 34 lbs.

POWER MIXERS MINI MP 240 V.V. COMBI



- Power: 290 Watts
- Voltage: Single phase
- Variable speed: from 2000 to 12500 rpm from 350 to 1560 rpm
- Blade, foot and shaft: 10" length - all stainless steel
- Whisk: 7" length
- Dimensions L x W: 20 1/5" x 3" Cube: .55
- Approx. shipping weight: 7 lbs
- Approx. carton size (HxLxW): 4.5" x 18.5" x 11.5"

VEGETABLE PREPARATION MACHINES - CL 501



- Power/Voltage: 1.5 HP/Single phase
- Speed: 425 rpm.
- Motor support: Stainless steel
- Dimensions (WxDxH): 14 3/4" x 13 1/2" x 23 7/16"
- Approx. shipping weight: 49 lbs
- Approx. carton size (WxDxH): 16" x 15 3/4" x 24 1/2" - Cube: 3.57

JUICE EXTRACTORS J80 ULTRA - CENTRIFUGAL JUICER



- Power: 1 HP
- Voltage: Single phase
- Constant velocity: 3450 rpm
- Output: Up to 120qts/hour
- Usable height: 6.38" under the spout
- Dimensions (WxDxH): 9 1/4" x 21" x 19 3/4"
- Approx. shipping weight: 28 lbs



Santos, French manufacturer of food, coffee and juice equipment was created in 1954, by André Fouquet. 68 years after the launch of its first products, Santos continues to grow and the R&D department develops new and innovative products based on our savoir-faire with respect to production of motors. Offering high quality products 100% made in France has always been a priority for Santos.

JUICER 50



- Motor - Single phase
100 - 120 V - 50/60 Hz - 800 W
220 - 240 V - 50/60 Hz - 800 W
- Speed
3000 rpm (50 Hz); 3600 rpm (60 Hz)
- Weight
Net: 14,5 kg; Packed: 16,3 kg
- Dimensions
Net (D x W x H): 470 x 260 x 450 mm
Packed (D x W x H): 500 x 315 x 570 mm

"CLASSIC" CITRUS JUICER 11



- Motor - Single phase
100 - 120 V - 50/60 Hz - 155 W
220 - 240 V - 50/60 Hz - 130 W
- Speed
1500 rpm (50 HZ); 1800 rpm (60 Hz)
- Weight
Net: 4,9 kg ; Packed: 5,7 kg
- Dimensions
Net (D x W x H): 300 x 230 x 350 mm
Packed (D x W x H): 340 x 255 x 400 mm

JUICE EXTRACTOR "MIRACLE EDITION" 68



- Motor - Single phase
100 - 120 V - 50/60 Hz - 1300 W
220 - 240 V - 50/60 Hz - 1300 W
- Speed
3000 rpm (50 Hz); 3600 rpm (60 Hz)
- Weight
Net: 26 kg; Packed: 28,8 kg
- Dimensions
Net (D x W x H): 480 x 320 x 580 mm
Packed (D x W x H): 660 x 370 x 590 mm

COMPACT BRUSHLESS BLENDER 66



- Motor - Single phase
220 - 240 V - 50/60 Hz
- Max torque: 8N.m
- Weight - Net: 6,2 kg ; Packed: 7,3 kg
- Dimensions
Standard appliance, net (D x W x H): 233 x 197 x 393 mm
In-counter version, net(D x W x H): 233 x 197 x 307 mm
Packed (D x W x H): 276 x 236 x 432 mm



Hand built in the UK since the 1950's, the Classic Toaster has earned its place as a kitchen essential. Featuring fully replaceable or repairable parts, timeless styling and the unique Proheat element.



2 SLICE TOASTER

- Capacity: 1 or 2 slices
- Output per hour: 65 slices
- Loading (kW): 1.2
- Dimensions (cm): 26 x 21 x 22
- Weight (kg): 3.5
- Slot size (wide x high x long): 28 x 140 x 120 mm (front to back)



4 SLICE TOASTER

- Capacity: 1, 2, 3 or 4 slices
- Output per hour: 130 slices
- Loading (kW): 2.2
- Dimensions (cm) : 36 x 21 x 22
- Weight (kg): 4.25
- Slot size (wide x high x long): 28 x 140 x 120 mm (front to back)



6 SLICE TOASTER

- Capacity 2,4 or 6 slices
- Output per hour 240 slices
- Loading (kW) 3.0
- Dimensions (cm) 46 x 21 x 22
- Weight (kg) 5.1
- Slot size (wide x high x long): 28 x 140 x 120 mm (front to back)



CONVEYOR TOASTER

- Powerful 2.26 - 2.7kW
- Output of 390 - 560 slices of white toast
- Dimensions (w x d x h) : 43.9 x 42.9 x 41.3 cm
- Weight (kg): 14



WAFFLE IRON

- Capacity: 1 or 2 waffles
- Output per hour: 60 waffles
- Assembly: cast alum. non stick plates
- Loading (kW): 1.6
- Dimensions (cm): 40 x 22 x 16
- Weight (kg): 5.45



Since 1985, Diamond® has been contributing to the evolution of the professional kitchen and refrigeration equipment sector. The brand's reputation and success, supported by a state-of-the-art organisation, places Diamond® Europe in the TOP 5 of European distribution, with a turnover exceeding 40 million euros.

**STOVE WITH 4 BURNERS
5,5 KW, ELEC. OVEN GN 2/1**



**ELEC. FRYER 2X14 LTRS,
ON CUPBOARD**



**GAS ROUNDED KETTLE, 60 LTRS,
DIRECT HEATING, ON BOARD**



**ELECTRIC PASTA COOKER,
2X 24,5 LITERS, ON BOARD**



GAS SALAMANDER



**SMOOTH COOKING
SURFACE, GAS**



GAS STEAM GRILL



**ELECT. RANGE 4 ROUND
COOKING PLATES**



**SAUSAGE GRILL
ELECT. 5 ROLLERS**



Scotsman is the world's leading ice machine manufacturer for one basic reason. We understand, better than any other company, the critical importance of ice to any number of businesses. With a reliable supply of cubes, flake, superflake, scale, nugget, and gourmet ice, in quantities that range from one cube at a time to 10 tons of ice a day, Scotsman is clearly the Ice The World Demands

GOURMET ICE



AC 46



AC 226



MXG 328

Crystal clear, pure, hard and long-lasting ice cubes. Ideal for luxury operations such as hotels, fine dining and high-end bars. Its fast cooling action and slow dilution keep drinks chilled for a long time.

DICE ICE



NU 150



NU 300



NW 308

Classic six-sided ice cube. Its greater surface for heat exchange promotes rapid chilling. The perfect solution for QSR, cafés, banquet venues and cinema.

NUGGET & CUBELET



AFC 80



AFC 134



MFN 56

Compressed flake ice available either in regular micro-cubes or irregular chips. Multi-use versatility that's great with carbonated drinks and smoothies, while a perfect option for food and plate displays.

FLAKE ICE



AF 103



AF 156



MFN 46

Ice produced just below zero degrees Celsius. Highly versatile, it's suitable for multiple applications, including fish display counters, buffet displays, frozen drink preparations, as well as wine and champagne buckets.



DOMINO s.r.l. was established in 2002 thanks to the experience acquired during more than twenty years by one of the founders in the bread making and pastry making machinery sector; the beginnings were therefore the fruit of knowledge of the machines in the sector associated with the desire to fine-tune the experience of the past in order to make the work of artisan bakers and pastry makers simpler, faster and qualitatively better.

PLANETARY MIXER - SMART 60L3V



- Bowl Capacity: 60 liters
- Dimensions (WxDxH): 75 x 96 x 144 cm
- Weight: 233 kg
- Speed: 3 Nr.
- Power: 0,6/1,1/1,5 kW

SPIRAL MIXER - TOPMIX 30



- Dough capacity: 30 kg
- Bowl volume: 45 lt.
- Bowl dimensions (cm): Diam. 45; H. 27
- Machine Dimensions WxDxH: 48x80x96 cm
- Weight: 130 kg
- Power: 2,2 kW

PASTRY SHEETER- SFO500x1000



- Belt size: 500x1000 mm
- Cylinders diam.: 60 mm
- Cylinders opening: 0/35 mm
- Working dim. WxDxH: 232x88x110 mm
- Dim. at rest WxDxH: 69x88x172 mm
- Weight: 160 kg
- Power: 0,75 kW

TWO-CYLINDER MOULDERS - ROLL 26



- Cylinder width: 600 mm
- Capacity: 15/1500 gr
- Dimensions (WxDxH): 830 x 840 x 1145 mm
- Weight: 140 kg
- Power: 0,65 kW



Technodom products are specifically created for commercial and professional refrigeration and give an excellent answer to all technical requirements and market demands. Their use for food processing purposes makes them adequate to satisfy the HACCP standards.

SINGLE DOOR CHILLER



- Capacity: 700 L
- Temperature: 0/+10°C
- Type of Gas: R404A/R507
- Test Details: +43/65%
- Net Weight: 110 Kg
- Energy Consumption: 385 W
- Power Supply: 230-1-50 V-P-Hz
- Dimensions (WxLxH): 710 x 800 x 2030/2100 mm

TWO DOOR FREEZER



- Capacity: 1400 L
- Temperature: -18/-22°C or -2/-25°C
- Type of Gas: R404A/R507
- Test Details: +43/65%
- Net Weight: 159 Kg
- Absorbed Power: 700 W
- Power Supply: 230-1-50 V-P-Hz
- Dimensions (WxLxH): 1420 x 800 x 2030/2100 mm

TWO DOOR UNDER-COUNTER CHILLER



- Capacity: 310 L
- Temperature: 0/+10°C
- Type of Gas: R404A/R507
- Test Details: +43/65%
- Net Weight: 86 Kg

- Absorbed Power: 495 W
- Power Supply: 230-1-50 V-P-Hz
- Dimensions (WxLxH): 1420 x 700 x 850/920 mm

THREE DOOR UNDER-COUNTER FREEZER



- Capacity: 460 L
- Temperature: -18/-22°C
- Type of Gas: R404A/R507
- Test Details: +43/65%
- Net Weight: 112 Kg

- Absorbed Power: 700 W
- Power Supply: 230-1-50 V-P-Hz
- Dimensions (WxLxH): 1870 x 715 x 850/920 mm